



# SHELTER Gateway and Repeater by BEST

## With the SHELTER gateway and repeater, configure a system that makes sense for your building.


At the core of the SHELTER™ system is a gateway that communicates with configured devices to initiate lockdown. With a 400-foot range,\* the gateway can be paired with up to seven repeaters to extend the signal range throughout a building or campus. And with assistance from your integration resource, the SHELTER repeater can be connected to existing access control or first response alarm systems.

### A solid defense against active aggressors.

Plugged into a UPS or power supply with battery backup, the SHELTER gateway doesn't require an internet connection to initiate lockdown. This alleviates any concerns that your network must be operational during the most critical times.

- **Wireless solution.** SHELTER easily retrofits to existing doors in buildings new and old.
- **Scalable.** SHELTER can fit almost any-size building or campus.
- **Affordable.** SHELTER is more cost-effective than standard wired solutions.
- **Versatile.** SHELTER IS Available for cylindrical and mortise locks.

SHELTER has been repeatedly acclaimed for its effectiveness, especially as it relates to school lockdown strategies. It's been awarded time and time again as a standout product and has been featured in multiple trade magazines.




\*Wireless range will vary based on application, operating environment, building materials and external factors.

SHELTER—a unique combination of code-compliant hardware and proven technology—is a responsive lockdown solution ideal for all types of buildings / environments and budgets.

## BEST SHELTER™ helps you create safe spaces within your facility quickly and safely.

This wireless responsive lockdown solution can be fully configured to adapt to your building(s) and security protocol. With SHELTER, you can be confident your building is ready to respond in any situation. Integrating with first response systems and electronic access control systems, SHELTER is built to be an essential part of any building security system.

SHELTER Gateway Specifications	
<b>Wireless Communications</b>	900 MHz; Range of 400 ft. indoors; 1,200 ft. line of sight (typical)*
<b>Internet Connection</b>	Ethernet connection standard; Cloud connectivity; Functional without internet connection
<b>Gateway</b>	Connected to cloud via internet connection; Internet connection allows system status updates to cloud software; Once system is configured, lockdown and all clear will still be functional if internet connection is not present; Cloud software diagnostics will not function if internet connection is not present
<b>Environmental</b>	Indoor
<b>Code Compliance</b>	UL 60950, FCC Part 15 Compliant
<b>Power Supply</b>	12VDC; Wall wart power supply provided; Battery backup recommended
<b>System Setup</b>	Local webpage for basic setup and configuration
<b>Size</b>	6.7" x 6.3" x 1.1"



Our site survey tools may provide an initial recommendation on products needed, however it is recommended that you work with a thirdparty integrator to understand final system requirements and capabilities in order to ensure proper performance of your system.

SHELTER Repeater Specifications	
<b>Wireless Communications</b>	900MHz; Range of 400 ft. indoors; 1,200 ft. line of sight (typical)*
<b>Functions</b>	Repeater extends range of network; Maximum 7 repeaters actively extending network can be connected to gateway (repeater relays can be used); Additional repeaters can be in network, but used for relay only
<b>Environment</b>	IP 67 Enclosure
<b>Code Compliance</b>	UL 60950
<b>Power Supply</b>	12/24VDC power; Power supply not included; Battery backup recommended
<b>Inputs</b>	2 dry contact switch inputs; Configurable to initiate or cancel lockdown
<b>Outputs</b>	2 form C relay outputs, 24V/1A rated
<b>Size</b>	9.4" x 6.3" x 3.3"

\*Wireless range will vary based on application, operating environment, building materials and external factors.

BA-0221

For questions about ordering and to be sure you get the right configuration for your needs, [contact your BEST dormakaba sales representative](#).  
6161 East 75th Street, Indianapolis, IN 46250 USA | [855-365-2407](tel:855-365-2407) | [bestaccess.com](http://bestaccess.com)