




BEST Precision Exit Devices & Trims Canada Price List

PL78 | August 2026



BEST: Setting the Standard for Security

What's New

BEST Precision Exit Devices

- p. 8, 10-16, 24, 29-31: Add Barrier Free (BF) option
- p. 10-22: Update SNB option price

Contents

General Information	
Terms and Conditions of Sale	6
How to Order	8
Finishes	9
Wide Stile Devices	
2100 – Precision Rim – Reversible, Wide Stile	10
2200 – Precision Surface Vertical Rod – Reversible, Wide Stile	11
2300 – Precision Mortise - Handed, Wide Stile	12
Narrow Stile Devices	
2400 – Precision Rim - Non Handed, Narrow Stile	13
2600 – Precision Concealed Vertical Rod - Non Handed, Narrow Stile	14
Wide Stile Devices	
2700 – Precision Wood Door Concealed Vertical Rod - Reversible, Wide Stile	15
2800 – Precision Concealed Vertical Rod - Reversible, Wide Stile	16
Decorative Levers List Price	
2900/4900 Series Trims	17
Precision 5000 Series	
5100 – Precision Rim - Non Handed	18
5200 – Precision Surface Vertical Rod - Reversible	19
Precision 100;200;300 Series	
100 – Precision Rim - 100 Handed, R100 Reversible, Crossbar	20
200 – Precision Surface Vertical Rod - Non Handed, Crossbar	21
300 – Precision Mortise - Handed, Crossbar	22
Arm-A-Dor®	
7R0 – Arm-A-Dor® – Security Exit Hardware	23
Trims	
Precision Wide & Narrow Stile, Precision Trim	24

Mullions	
Mullions	25
Strikes & Accessories	
Strikes	26
Accessories	26
Electrical Products	27
Component Assemblies	
Precision Component Assemblies - Wide Stile	29
Precision Component Assemblies - Narrow Stile	31
Precision Component Assemblies	32
Precision Component Assemblies - Crossbar	33
Trim Components Assemblies	34
Miscellaneous	
Weight Chart	35
Quoting & Ordering	36
BEST Cylinder and Precision Exit Device Orders	37
Returned Authorization (RA) Non-Warranty	38
Fulfillment Issues	38
Forms	
Order Form	39
Return Authorization Form Request	40

NOTE: AS A RESULT OF BRAND MIGRATION FROM PRECISION TO BEST, PRECISION WILL BECOME THE PRODUCT NAME.

- APEX 2000 SERIES WILL NOW BE KNOWN AS BEST PRECISION 2000 SERIES
- RELIANT 5000 WILL NOW BE KNOWN AS BEST PRECISION 5000 SERIES
- OLYMPIAN 100; OLYMPIAN 200 AND OLYMPIAN 300 SERIES' WILL NOW BE KNOWN AS BEST PRECISION 100;200 & 300 SERIES

1. Acceptance. The following Terms and Conditions of sale are applicable to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgment form, or sale, these Terms and Conditions shall prevail BY REQUESTING A QUOTATION OF ORDERING ANY PRODUCTS OR SERVICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDITIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

1. Order Procedure. Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

2. Quotations. All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in the quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in this quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. All Quotations and resulting orders are subject to Seller's Terms and Conditions set forth in the price book.

3. Site Requirements.

- a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials (i.e. electrical work, floor work, adjacent construction). When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.
- b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

4. Warranty. Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in the Price Book and will be free from defects in workmanship and materials. The duration of each product warranty is dependent on the particular product. Refer to EAD & DHW warranty statement. Extended warranties may be available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

Additional Warranties

- a) No credit will be provided for any work completed by others during warranty term.
- b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.
- c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

DISCLAIMER OF FURTHER WARRANTIES. EXCEPT AS SET FORTH ABOVE, THERE IS NO WARRANTY, REPRESENTATION, OR CONDITION OF ANY KIND, EXPRESS OR IMPLIED (INCLUDING NO WARRANTY OF MERCHANTABILITY OR FITNESS OF THE PRODUCTS FOR ANY USE CONTEMPLATED BY BUYER) CONCERNING

SELLER'S PRODUCTS OR SERVICES AND NONE SHALL BE IMPLIED BY LAW.

5. LIMITATION OF LIABILITY AND REMEDIES. SELLER SHALL NOT BE LIABLE, AND BUYER WAIVES ALL CLAIMS AGAINST SELLER FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES AND PROFITS EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BUYER'S EXCLUSIVE REMEDY FOR ANY CAUSE OF ACTION UNDER THESE TERMS AND CONDITIONS IS A CLAIM FOR DAMAGES AND IN NO EVENT WILL DAMAGES OR ANY OTHER RECOVERY OF ANY KIND AGAINST SELLER EXCEED THE PURCHASE PRICE OF THE SPECIFIC PRODUCTS OR SERVICES AS TO WHICH THE CLAIM IS MADE. SELLER WILL NOT BE LIABLE TO BUYER FOR ANY LOSS, DAMAGE, OR INJURY TO PERSONS OR PROPERTY RESULTING FROM THE HANDLING, STORAGE, TRANSPORTATION, RESALE, OR USE OF THE PRODUCTS IN MANUFACTURING PROCESSES, OR IN COMBINATION WITH OTHER SUBSTANCES, OR OTHERWISE.

6. Intellectual Property Indemnification. (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services (provided that the product is not modified in anyway by Buyer or any other party, and that the product is used in the manner intended by Seller). If a suit or claim results in any injunction or

any other order that would prevent Seller from supplying any product falling under a Quotation, Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale.

7. Ownership of Inventions. All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

8. Lead Times. If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be provided as estimate only once order is placed with the factory. Adequate packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, Seller will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. Title/Risk of Loss. All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. Prices. Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

11. Payments. Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 2% per month (24% per annum), or the maximum allowable by law.

Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account, work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller retains the right to file a lien against all or part of the property being improved. Seller

reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. Cancellation. In the event a Buyer's Purchase Order and the issuance of an Order Acceptance Form is cancelled, it will be subject to standard 35% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. Storage. If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. Insolvency. Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. Force Majeure. Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes, accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. Ownership of Equipment. Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. Confidential Information. All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which (a) at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. Waiver. No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof, nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or further exercise thereof or the exercise of any other right, remedy, power or privilege.

19. Assignment. No assignment of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.


20. Choice of Law. All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. Integration Clause. These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions. However, the use of any such form shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.

22. Installation Projects. Communication: Buyer shall communicate all of these installation terms to any end-user receiving installation services from dormakaba. Work Execution: Any installation quote is prepared with the understanding that openings within the scope of work ("Work") have doors and frames in good working order. dormakaba will perform the Work in the order set forth in a field survey conducted by an end-user, an end-user consultant, or Buyer prior to beginning the installation. Work shall occur weekdays during normal business hours (M-F, 8am – 5pm, local time). Work performed outside of normal business hours is available at a rate of 135% of the normal base rate. Any Work requested to be performed outside of normal business hours will require start and stop time confirmation with installation site, such start and stop time to be obtained by the Buyer or the end-user. Installation Projects are performed as one continuous installation event, from commencement until the completion of the installation. Unless specifically noted otherwise in writing, there will be additional charges for delays or additional trips not caused by dormakaba. Commencement of installation is conditioned on acceptable site conditions, including the completion of dependent scopes of work (e.g., electrical work, keying meetings, distribution of credentials). When Buyer or end-user has given authorization for work to begin, Buyer or end-user shall ensure no other scopes may impede dormakaba's ability to complete installation in agreed upon area. dormakaba reserves the right to assess a fee for costs incurred due to unacceptable site conditions or delays by others resulting in additional installation visits. Union labor, prevailing wage, and certified payroll are excluded from the installation quote unless otherwise set forth in writing. Insurance certificates will be provided upon request. Coverage is limited to the types and amounts set forth on the insurance certificate. Includes execution of materials only as detailed within proposal. Additional Charges: Additional charges may be assessed for delays or additional install time to correct any deficiencies or discrepancies between scope of work and actual jobsite. Any dormakaba materials delivered to Buyer but missing from installation site will be reordered at customer's expense. Any

hardware changes or change orders shall be quoted on a separate proposal and timeline. Storage: dormakaba reserves the right to assess a storage fee if Buyer or end-user causes delivery to be delayed after the agreed upon delivery date. Should project timeline require storage of materials after delivery to Buyer or end-user, through no act or omission of dormakaba, dormakaba reserves the right to assess a storage fee, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Exclusions: Unless explicitly included in the installation quote, these are excluded: Distribution to staff of any form of keys, fobs or cards or credentials; any temporary security, barricades, or signage; all carpentry work outside of this specification including drywall, paint, framing, patching of existing holes, etc.; union labor, prevailing wage & certified payroll unless noted otherwise; permits are the responsibility of the end-user; Any special consideration for asbestos and lead paint hazards; any bonds; any NFPA or other certification of tolerances or rating concerning product, door, and frame configuration; disposal of material and packaging; damage from negligence, vandalism or Force Majeure; cleaning of site beyond broom clean; cost for special insurance requirements; consumable materials (e.g., batteries); any electrical work including 120v connections and low voltage wiring pulls; and other similar categories of labor and materials not included in the installation quote.

23. Installation Warranty. In addition to the standard product warranty, products installed by the dormakaba Field Services team are covered by a one (1)-year installation warranty on materials to be free from manufacturer defects and on installation labor performed. Extended warranties are available for an additional cost. dormakaba is not responsible for defects or damages caused by wear and tear, consumable materials (e.g., batteries), vandalism, fires, storms, floods, acts of God, misuse, abuse, or alteration on by any company other than dormakaba. No credit will be provided for any work completed by others during warranty term. dormakaba reserves the right to withhold the performance of warranty work if Buyer payments have become past due. Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable. In the event that Buyer, its agents, employees, successors, and/or assigns tampers with, misuses, removes any parts, or adds any parts or equipment, Buyer agrees to indemnify, save and hold harmless dormakaba, its agents, employees, successors, and/or assigns, from any and all liability, damages, or losses, including reasonable attorney's fees, arising out of, or incidental to, the aforementioned conduct. dormakaba warrants that all goods manufactured by dormakaba and all services provided by dormakaba hereunder will be free from defects in workmanship and materials for twelve (12) months from the date of final project invoice to the carrier, unless sold as "With All Faults", "Shop", "As Is", "As They Stand" or other similar designation. Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.



DEVICE ONLY: List quantity, device model w/function, hand, finish, strike, and door size including thickness.

Note: For greater exit device mounting heights, see extended bottom rods.

Finishes

For standard finishes in each series, see individual product pages. For other finishes, consult factory.

BHMA	US	DESCRIPTION
600*	USP	Primed for Paint
605	US3	Bright Brass, Clear Coated
606	US4	Satin Brass, Clear Coated
612	US10	Satin Bronze, Clear Coated
613	US10B	Satin Bronze, Oxidized, Oil Rubbed
622		Powder Coat Black
625	US26	Bright Chrome Plated
626W		Weatherized Satin Chrome
628	US28	Satin Aluminum, Clear Anodized
630	US32D	Satin Stainless Steel
630AM		Satin Stainless Steel with UltraShield™ Antimicrobial coating
689*	---	Aluminum Paint / Powder Coat
690		Powder Coat Dark Bronze
695*	---	Dark Bronze Paint / Powder Coat

UltraShield™ Antimicrobial finish coating option available to Precision & Precision Exit Devices & Trims. 630AM list price add \$110.00 Exit Devices, \$42.00 Trims

SPLIT FINISHES

When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price (see specific device page), to appropriate "Trim" price. *Mullion finishes 689 & 695 finishes for Precision series exit devices.

DEVICES FOR DOOR WIDTHS

Stock Size for 3'-0" or 4'-0" wide door is available for all series of devices. Stock Size for 2'-0" to 2'-6" wide door is also available for Precision wide stile only. For factory cutting add \$21.00 list per device cutting charge (FC). Please provide cut required details. Factory cuts limit product option capability.

DOOR THICKNESS

Rim and Surface Vertical Rod exit device accommodates doors ranging from 1-3/4"– 2-1/4" Mortise and Concealed Vertical Rod exit devices accommodate 1-3/4" thick doors. For applications exceeding the door thickness referenced above, please consult Product Support. Additional charges will apply.

FASTENERS

Furnished standard with machine screws and full thread wood/sheet metal screws. Specify Sex Nuts and Bolts "SNB" where recommended or required by the door manufacturer.

SEX NUTS & BOLTS (Not furnished standard)

1/4-20 Thread – When used with top & bottom surface vertical rod latches: (Part # 02399-91 x Finish).

10-24 Thread – When used with end cap bracket, active case and rod guides: (Part # 02408-91 x Finish). If Sex Nuts and Bolts are required, see individual device pages for quantity required and pricing. To order separately, specify "SNB" x Finish. See exit device page for sex bolt pricing.

SECURITY SCREWS

All exposed screws will be Torx® pin tamper resistant machine screws. Specify "SEC" Security Screws. If Security Screws are specified see individual device pages for the price.

2100 – Precision Rim – Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device * Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2101 x 1701	2,165.00	2,500.00	3,128.00	2,797.00
02	Exit only, dummy trim	2102 x 1702A	2,431.00	2,766.00	3,394.00	3,077.00
03	Key retracts latchbolt	2103 x 1703A				
05	Key controls thumb piece	2105 x 1705A				
15	Thumb piece always active	2115 x 1715A	2,612.00	2,947.00	3,575.00	3,262.00

(Devices with 2000C Series Trim are the same price)

Lever/Knob Trim:						
01	Exit only, cover plate	2101 x 4901	2,211.00	2,546.00	3,174.00	2,834.00
02	Exit only, dummy trim	2102 x 4902A				
03	Key retracts latchbolt	2103 x 4903A or 4903X	2,682.00	3,017.00	3,645.00	3,424.00
08	Key controls lever/knob	2108 x 4908A				
08	Key controls lever	2108 x V4908A	2,854.00	3,189.00	3,817.00	3,601.00
14	Lever/knob always active	2114 x 4914A				
10*	Inside key controls lever/knob Outside key retracts latchbolt	2110 x 4908A 2110 x V4908A	3,273.00	3,598.00	4,266.00	4,050.00
10VI*	Inside key controls lever/knob, Includes Visual Lock/Unlock Indicator; Outside key retracts latchbolt	2110VI x 4908A or V4908A	3,642.00	3,977.00	4,676.00	4,853.00

Lock/Unlock Indicator; Outside key retracts latchbolt

* Double cylinder 10 & 10VI function is handed. Rim cylinder or thumb-turn sold separately. Hex or cylinder dogging not recommended for use with 2110 & 2110VI double cylinder function.

Device Only:						
	01, 02, 03, 05, 08, 14, 15	21, 2101, 2102, 2103*, 2105, 2108, 2114, 2115	1,976.00	2,311.00	2,939.00	2,546.00

E	Elec. Device Electric Lock/Unlock Outside Trim	E2103 x 4908A E2103 x V4908A	3,956.00	4,291.00	4,919.00	4,703.00
---	---	---------------------------------	----------	----------	----------	----------

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL2103) Dogging option NOT available					Add 340.00
----	---	--	--	--	--	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
BF	Barrier Free - Meets Americans with Disabilities Act (ADA) requirement of 5-pound maximum operational force***	93.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
C	Pre-Terminated Quick Connect Plug **	–	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	3,209.00	BRL	Braille Touchbar	188.93
E	Electric Lock/Unlock with Lock/Unlock monitoring (see above)	–	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	171.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,706.00	DS	Door Position Monitoring Switch	240.00
HC	Hurricane Code Device***	77.00	FC	Factory Cut	22.00
LDS	Latchbolt Monitoring Double Switch	594.00	LD	Less Dogging	76.00
LS	Latchbolt Monitoring Switch	489.00	SEC	Security Screws	91.00
MLR	Motorized Latch Retraction	2,210.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	126.00
Q	Wireless Access Management System	955.00	SNB	Sex Nut and Bolt (2 req'd) with Trim	42.00
TDS	Touchbar Monitoring Double Switch	594.00	WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,413.00
TS	Touchbar Monitoring Switch	489.00			
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00			
WTS	Weatherized Touchbar Monitoring Switch	634.00			

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options x Trim x Hand x Finish x Door Width, Height and Thickness.

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
- 630AM list price for Exit Devices Add 110.00
- 630AM list price for Trims Add 42.00

- Devices for Retrofit Applications prefix Trim with the letter "R" (e.g. R4908A).
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 2'-6" & 4'-0" doors are available at **no extra charge**.

** See Hinges & Door Accessories price book for Wire Harness product

*** Not compatible with 21 center drive exit device

When BF exits are ordered with active function (08, 14) lever trim, the trim also meets 5lb operational force.

2200 – Precision Surface Vertical Rod – Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2201 × 1701	3,046.00	3,394.00	4,287.00	3,718.00
02	Exit only, dummy trim	2202 × 1702A	3,312.00	3,660.00	4,553.00	3,998.00
03	Key retracts latchbolt	2203 × 1703A				
05	Key controls thumb piece	2205 × 1705A				
15	Thumb piece always active	2215 × 1715A	3,493.00	3,841.00	4,734.00	4,183.00
(Devices with 2000C Series Trim are the same price)						
Lever/Knob Trim:						
01	Exit only, cover plate	2201 × 4901	3,092.00	3,440.00	4,333.00	3,755.00
02	Exit only, dummy trim	2202 × 4902A				
03	Key retracts latchbolt	2203 × 4903A or 4903X	3,563.00	3,911.00	4,804.00	4,345.00
08	Key controls lever/knob	2208 × 4908A				
08	Key controls lever	2208 × V4908A				
14	Lever/knob always active	2214 × 4914A	3,735.00	4,083.00	4,976.00	4,522.00
Device Only:						
	01, 02, 03, 05, 08, 14, 15	22, 2201, 2202, 2203*, 2205, 2208, 2214, 2215	2,857.00	3,205.00	4,098.00	3,467.00
*2203 & FL2203 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"						
E	Elec. Device [see above]	E2203 × 4908A	4,837.00	5,185.00	6,078.00	5,624.00
FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL2103] Dogging option NOT available					Add 340.00

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
BF	Barrier Free - Meets Americans with Disabilities Act (ADA) requirement of 5-pound maximum operational force***	93.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
C	Pre-Terminated Quick Connect Plug **	–	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
DE	Delayed Egress: REQUIRES PS161-6 Power Supply	3,209.00	BRL	Braille Touchbar	188.93
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,706.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	171.00
HC	Hurricane Code Device (SNB required - see notes below)***	76.00	DS	Door Position Monitoring Switch	240.00
LS	Latchbolt Monitoring Switch	489.00	FC	Factory Cut	22.00
MLR	Motorized Latch Retraction	2,210.00	LBR	Less Bottom Rod (no extra charge)	0.00
O	Wireless Access Management System	955.00	LD	Less Dogging	76.00
TDS	Touchbar Monitoring Double Switch	594.00	SEC	Security Screws	91.00
TS	Touchbar Monitoring Switch	489.00	SNB	SNB Sex Nut and Bolt (10 req'd - not including rod guides) without Trim	210.00
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00	SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) LBR Device without Trim	168.00
WTS	Weatherized Touchbar Monitoring Switch	634.00	SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) with Trim	126.00
			SNB	SNB Sex Nut and Bolt (4 req'd - not including rod guides) LBR Device with Trim	84.00
			TMB	Transom Bracket	114.00
			WALW	Weatherized Exit Alarm: remote power (24 VDC)	1,413.00

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
 - 630AM list price for Exit Devices Add 110.00
 - 630AM list price for Trims Add 42.00
- Devices for Retrofit Applications prefix Trim with the letter "R" (e.g. R4908A).
- HC 2200 only SexNutandBolts-SNBare required for Top and Bottom Latches
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 2'-6" & 4'-0" doors are available at **no extra charge**
- Top Rod for 7'-0" high door is furnished standard.
- Top Rod for 8'-0" to 12'-0" high door is available at **no extra charge**. (See catalog for fire rating).

* Rod and Latch Guards provided by others

** See Hinges & Door Accessories price book for Wire Harness product

*** Not compatible with 22 center drive exit device

When BF exits are ordered with active function (08, 14) lever trim, the trim also meets 5lb operational force.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2300 – Precision Mortise - Handed, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2301 × 1701	2,997.00	3,344.00	4,226.00	3,668.00
02	Exit only, dummy trim	2302 × 1702A	3,263.00	3,610.00	4,492.00	3,948.00
03	Key retracts latchbolt	2303 × 1703A				
05	Key controls thumb piece (A grip only)	2305 × M1705A	3,263.00	3,610.00	4,492.00	3,948.00
15	Thumb piece always active (A grip only)	2315 × M1715A				
(Devices with M2000C Series Trim are the same price) (Note: B & C grip pull handles are not available in the 05 and 15 functions)						
Lever/Knob Trim:						
01	Exit only, cover plate	2301 × 4901	3,043.00	3,390.00	4,272.00	3,705.00
02	Exit only, dummy trim	2302 × 4902A	3,514.00	3,861.00	4,743.00	4,295.00
03	Key retracts latchbolt	2303 × M4903A or M4903X				
08	Key controls lever/knob	2308 × M4908A	3,686.00	4,033.00	4,915.00	4,472.00
08	Key controls lever	2308 × VM4908A				
14	Lever/knob always active	2314 × M4914A				
10*	Inside key controls lever/knob Outside key retracts latchbolt	2310 × M4908A 2310 × VM4908A	4,105.00	4,442.00	5,370.00	4,750.00
10*	Inside key controls lever/knob	2310 × M4914A				
Device Only:						
	01, 02, 03, 05, 08, 14, 15	2301, 2302, 2303, 2305, 2308, 2314, 2315	2,808.00	3,155.00	4,037.00	3,417.00
*2103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"						
* Double cylinder 10 function is handed. Rim cylinder or thumb-turn sold separately. Hex or cylinder dogging not recommended for use with 2110 double cylinder function.						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2303 × M4908A E2303 × VM4908A	4,898.00	5,245.00	6,127.00	5,684.00
FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL2303] Dogging option NOT available					Add 340.00

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
BF	Barrier Free - Meets Americans with Disabilities Act (ADA) requirement of 5-pound maximum operational force***	93.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
C	Pre-Terminated Quick Connect Plug ** (available to one electrical feature for the 2300 panic exit device)	–	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	3,209.00	BRL	Braille Touchbar	188.93
E	Electric Lock/Unlock with Lock/Unlock monitoring (see above)	–	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	171.00
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,706.00	DS	Door Position Monitoring Switch	240.00
HC	Hurricane Code Device	76.00	FC	Factory Cut	22.00
LS	Latchbolt Monitoring Switch	489.00	LD	Less Dogging	76.00
MLR	Motorized Latch Retraction	2,210.00	SEC	Security Screws	91.00
TDS	Touchbar Monitoring Double Switch	594.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	126.00
TS	Touchbar Monitoring Switch	489.00	SNB	Sex Nut and Bolt (2 req'd) with Trim	42.00
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00	WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,413.00
WTS	Weatherized Touchbar Monitoring Switch	634.00			

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
- 630AM list price for Exit Devices Add 110.00
- 630AM list price for Trims Add 42.00
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.

• For mortise lock body ONLY.

• For 2'-6" & 4'-0" doors are available at **no extra charge**.

** See Hinges & Door Accessories price book for Wire Harness product


*** When BF exits are ordered with active function (08, 14) lever trim, the trim also meets 5lb operational force.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2400 – Precision Rim - Non Handed, Narrow Stile

Narrow Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2401 × 2001	2,385.00	1,615.00	3,533.00	3,027.00
02	Exit only, dummy trim	2402 × 2002C	2,651.00	1,881.00	3,799.00	3,307.00
03	Key retracts latchbolt	2403 × 2003C				
Lever/Knob Trim:						
01	Exit only, cover plate	2401 x 2901	2,431.00	1,661.00	3,579.00	3,064.00
02	Exit only, dummy trim	2402 x 2902A	2,902.00	2,132.00	4,050.00	3,654.00
03	Key retracts latchbolt	2403 x 2903A				
08	Key controls lever	2408 x 2908A	3,074.00	2,304.00	4,222.00	3,831.00
14	Lever always active	2414 x2914A				
Device Only:						
	01, 02, 03, 08, 14	2401, 2402, 2403*, 2408, 2414	2,196.00	1,426.00	3,344.00	2,776.00

*2403 Device × Cylinder Only Application includes Cylinder Attachment Kit "NCA-03".

FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL2403] Dogging option NOT available	Add 340.00
----	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
BF	Barrier Free - Meets Americans with Disabilities Act (ADA) requirement of 5-pound maximum operational force***	93.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
C	Pre-Terminated Quick Connect Plug **	—	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	3,209.00	BRL	Braille Touchbar	188.93
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,706.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	171.00
MLR	Motorized Latch Retraction	2,210.00	DS	Door Position Monitoring Switch	240.00
TDS	Touchbar Monitoring Double Switch	594.00	FC	Factory Cut	22.00
TS	Touchbar Monitoring Switch	489.00	LD	Less Dogging	76.00
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00	SEC	Security Screws	91.00
WTS	Weatherized Touchbar Monitoring Switch	634.00	SNB	SNB Sex Nut and Bolt (4 req'd) without Trim	84.00
			SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	42.00
			WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,413.00

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
 - 630AM list price for Exit Devices Add 110.00
 - 630AM list price for Trims Add 42.00
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- 2403 × 2903A Device uses Rim Cylinder; 2408 × 2908A Device uses Mortise Cylinder.
- Devices for 3'-0" door are furnished standard.
- Devices for 4'-0" doors are available at **no extra charge**.

** See Hinges & Door Accessories price book for Wire Harness product


*** When BF exits are ordered with active function (08, 14) lever trim, the trim also meets 5lb operational force.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2600 – Precision Concealed Vertical Rod - Non Handed, Narrow Stile

Narrow Stile Devices



Pull Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2601 × 2901	3,471.00	3,825.00	4,881.00	4,145.00
02	Exit only, dummy trim	2602 × 2902A	3,942.00	4,296.00	5,352.00	4,735.00
03	Key retracts latchbolt	2603 × 2903A				
08	Key controls lever	2608 × 2908A	4,114.00	4,468.00	5,524.00	4,912.00
14	Lever always active	2614 × 2914A				
Device Only:						
	01, 02, 03, 08, 14	2601, 2602, 2603*, 2608, 2614	3,236.00	3,590.00	4,646.00	3,857.00

*2603 Device × Cylinder Only Application includes Cylinder Attachment Kit "NCA-03"

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL2603) Dogging option NOT available	Add 340.00
----	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
BF	Barrier Free - Meets Americans with Disabilities Act (ADA) requirement of 5-pound maximum operational force***	93.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
C	Pre-Terminated Quick Connect Plug **	–	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
DE	Delayed Egress: REQUIRES PS161-6 Power Supply	3,209.00	BRL	Braille Touchbar	188.93
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,706.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	171.00
MLR	Motorized Latch Retraction	2,210.00	DS	Door Position Monitoring Switch	240.00
TDS	Touchbar Monitoring Double Switch	594.00	FC	Factory Cut	22.00
TS	Touchbar Monitoring Switch	489.00	LBR	Less Bottom Rod (no extra charge)	–
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00	LD	Less Dogging	76.00
WTS	Weatherized Touchbar Monitoring Switch	634.00	SEC	Security Screws	91.00
NOTES:			SNB	SNB Sex Nut and Bolt (4 req'd) without Trim	84.00
			SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	42.00
			WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,413.00

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
 - 630AM list price for Exit Devices Add 110.00
 - 630AM list price for Trims Add 42.00
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- 2603 × 2903A Device uses Rim Cylinder; 2608 × 2908A Device uses Mortise Cylinder.
- Devices for 3'-0" door are furnished standard.
- Devices for 4'-0" doors are available at **no extra charge**.


- Top Rod for 6'-8" to 8'-0" high door is furnished standard.
- Top Rod for 8'-0" to 10'-0" high door is available at **no extra charge**. (See catalog for fire rating).
- ** See Hinges & Door Accessories price book for Wire Harness product
- *** When BF exits are ordered with active function (08, 14) lever trim, the trim also meets 5lb operational force.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2700 – Precision Wood Door Concealed Vertical Rod - Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2701 × 1701	3,625.00	3,979.00	5,135.00	4,320.00
02	Exit only, dummy trim	2702 × 1702A	3,891.00	4,245.00	5,401.00	4,600.00
03	Key retracts latchbolt	2703 × 1703A				
05	Key controls thumb piece	2705 × 1705A	4,072.00	4,426.00	5,582.00	4,785.00
15	Thumb piece always active	2715 × 1715A				
Lever/Knob Trim:						
01	Exit only, cover plate	2701 × 4901	3,671.00	4,025.00	5,181.00	4,357.00
02	Exit only, dummy trim	2702 × 4902A	4,142.00	4,496.00	5,652.00	4,947.00
03	Key retracts latchbolt	2703 × 4903A or 4903X				
08	Key controls lever/knob	2708 × 4908A	4,314.00	4,668.00	5,824.00	5,124.00
08	Key controls lever	2708 × V4908A				
14	Lever/knob always active	2714 × 4914A				
Device Only:						
	01, 02, 05, 08, 14, 15 For best possible structural support on wood door applications use of Precision outside trim is recommended	2701, 2702, 2705, 2708, 2714, 2715	3,436.00	3,790.00	4,946.00	4,069.00
*2703 & FL2703 cylinder only not recommended without 1703, 2003, or 4903 trims providing structural support for wood doors.						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2703 × 4908A E2703 × V4908A	5,905.00	6,259.00	7,415.00	6,715.00

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL2703) Dogging option NOT available	Add 340.00
----	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
BF	Barrier Free - Meets Americans with Disabilities Act (ADA) requirement of 5-pound maximum operational force***	93.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
C	Pre-Terminated Quick Connect Plug **	–	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	3,209.00	BRL	Braille Touchbar	188.93
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,706.00	CD	Cylinder Dogging 1-1/4" Mortise Cylinder not included	171.00
LS	Latchbolt Monitoring Switch	489.00	DS	Door Position Monitoring Switch	240.00
MLR	Motorized Latch Retraction	2,210.00	FC	Factory Cut	22.00
Q	Wireless Access Management System	955.00	LBR	Less Bottom Rod (no extra charge)	–
TDS	Touchbar Monitoring Double Switch	594.00	LD	Less Dogging	76.00
TS	Touchbar Monitoring Switch	489.00	SEC	Security Screws	91.00
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00	SNB	Sex Nut and Bolt (6 req'd) without Trim	84.00
WTS	Weatherized Touchbar Monitoring Switch	634.00	SNB	Sex Nut and Bolt (2 req'd) with Trim	42.00
			WALW	Weatherized Exit Alarm: Remote power (24 VDC)	1,413.00

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
- 630AM list price for Exit Devices Add 110.00
- 630AM list price for Trims Add 42.00
- Devices for Retrofit Applications prefix Trim with the letter "R" e.g. R4908A.
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 2'-6" & 4'-0" doors are available at **no extra charge**

- Top Rod for 6'-8" to 8'-0" high door is furnished standard.
- Top Rod for 8'-1" to 10'-0" high door is available at **no extra charge** [See catalog for fire rating].
- ** See Hinges & Door Accessories price book for Wire Harness product
- *** When BF exits are ordered with active function (08, 14) lever trim, the trim also meets 5lb operational force.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2800 – Precision Concealed Vertical Rod - Reversible, Wide Stile

Wide Stile Devices



Pull Trim



Lever/Knob Trim



Cast Plate

Outside Function		Device × Trim	628	606, 612 613, 622, 630, 690	626W Weatherized	605, 625
Pull Trim:						
01	Exit only, cover plate	2801 × 1701	3,211.00	3,559.00	4,604.00	3,883.00
02	Exit only, dummy trim	2802 × C1702A	3,477.00	3,825.00	4,870.00	4,163.00
03	Key retracts latchbolt	2803 × C1703A				
05	Key controls thumb piece	2805 × C1705A				
15	Thumb piece always active	2815 × C1715A	3,658.00	4,006.00	5,051.00	4,348.00
Lever/Knob Trim:						
01	Exit only, cover plate	2801 × 4901	3,257.00	3,605.00	4,650.00	3,920.00
02	Exit only, dummy trim	2802 × 4902A	3,728.00	4,076.00	5,121.00	4,510.00
03	Key retracts latchbolt	2803 × 4903A or 4903X				
08	Key controls lever/knob	2808 × 4908A				
08	Key controls lever	2808 × V4908A	3,900.00	4,248.00	5,293.00	4,687.00
14	Lever/knob always active	2814 × 4914A				
Cast Plate:						
03	Key Retracts Latch Bolt (pull by others)	2803 × C03	3,266.00	3,614.00	4,659.00	3,876.00
Device Only:						
	01, 02, 03, 05, 08, 14, 15	2801, 2802, 2803*, 2805, 2808, 2814, 2810	3,022.00	3,370.00	4,415.00	3,632.00
*2803 Device x Cylinder Only Application requires C03 Trim.						
E	Elec. Device Electric Lock/Unlock Outside Trim	E2803 x 4908A E2803 x V4908A	5,491.00	5,839.00	6,884.00	6,278.00
FL Fire Rated Hardware Specify prefix "FL" [e.g. FL2803] Dogging option NOT available Add 340.00						

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
BF	Barrier Free - Meets Americans with Disabilities Act (ADA) requirement of 5-pound maximum operational force***	93.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
C	Pre-Terminated Quick Connect Plug **	–	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
DE	Delayed Egress: REQUIRES PSI61-6 Power Supply	3,209.00	BRL	Braille Touchbar	188.93
ELR	Electric Latch Retraction: REQUIRES ELR150 Series Power Supply	1,706.00	CD	Cylinder Dogging 1-1/4" Mortise Cylinder not included	171.00
HC	Hurricane Code Device	76.00	DS	Door Position Monitoring Switch	240.00
LS	Latchbolt Monitoring Switch	489.00	FC	Factory Cut	22.00
MLR	Motorized Latch Retraction	2,210.00	LBR	Less Bottom Rod (no extra charge)	–
TDS	Touchbar Monitoring Double Switch	594.00	LD	Less Dogging	76.00
TS	Touchbar Monitoring Switch	489.00	SEC	Security Screws	91.00
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00	SNB	SNB Sex Nut and Bolt (6 req'd) without Trim	126.00
WTS	Weatherized Touchbar Monitoring Switch	634.00	SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	42.00
			WALW	Weatherized Exit Alarm: remote power (24 VDC)	1,413.00

NOTES:

- UltraShield™ Antimicrobial finish coating option available to Precision Exit Devices & Trims.
- 630AM list price for Exit Devices Add 110.00
- 630AM list price for Trims Add 42.00
- Devices for Retrofit Applications prefix Trim with the letter "R" e.g. R4908A]
- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 2'-6" & 4'-0" doors are available at **no extra charge**

- Top Rod for 6'-8" to 8'-0" high door is furnished standard.
- Top Rod for 8'-1" to 10'-0" high door is available at **no extra charge** [See catalog for fire rating].

** See See BEST Hinges & Door Accessories price list for Wire Harness product

*** When BF exits are ordered with active function (08, 14) lever trim, the trim also meets 5lb operational force.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

2900/4900 Series Trims

\$192 Per Trim (One Lever)

Decorative Levers List Price



Lever Styles	List Price Add
12	19200
17	19200
51	19200
52	19200
60	19200
62	19200

Lever Styles	List Price Add
65	19200
69	19200
75	19200
79	19200
89	19200
92 Lever option also available	

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

5100 – Precision Rim - Non Handed

Precision 5000 Series



Plate



Pull Trim



Lever Trim

Outside Function		Device × Trim	689, 695	689, 695 Trim Only
Plate:				
01	Exit only, cover plate	5101 × 501	917.00	85.00
Pull Trim:				
02	Exit only, dummy trim	5102 × 602	951.00	119.00
03	Key retracts latchbolt	5103 × 603		
02	Exit only, dummy trim	5102 × 702A	1,041.00	209.00
03	Key retracts latchbolt	5103 × 703A		
Lever Trim:				
08	Key controls lever	5108 × 808A	1,304.00	472.00
14	Lever always active	5114 × 814A		
Device Only:				
	01, 02, 03, 08, 14	5101, 5102, 5103*, 5108, 5114	832.00	–

*5103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL5103) Dogging option NOT available	Add 340.00
-----------	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
TDS	Touchbar Monitoring Double Switch	594.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
TS	Touchbar Monitoring Switch	489.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	171.00
WTS	Weatherized Touchbar Monitoring Switch	634.00	LD	Less Dogging	76.00
NOTES: • Devices are priced less cylinders. If cylinder is required please see cylinders. • Devices for 3'-0" door are furnished standard. • Weatherized Exit Alarm: remote power (24 VDC) • Devices for 4'-0" doors are available at no extra charge. • 603 and 703 Trims use a Rim Cylinder; 808A Trims use a Mortise Cylinder. • Factory cutting of custom sizes for Precision series exit devices not available.			SNB	SNB Sex Nut and Bolt (4 req'd) without Trim	84.00
			SNB	SNB Sex Nut and Bolt (2 req'd) with Trim	42.00
			WALW	Weatherized Exit Alarm: remote power (12 or 24 VDC)	1,413.00

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

5200 – Precision Surface Vertical Rod - Reversible

Precision 5000 Series



Plate



Pull Trim



Lever Trim

Outside Function		Device × Trim	689, 695	689, 695 Trim Only
Plate:				
01	Exit only, cover plate	5201 × 501	1,513.00	85.00
Pull Trim:				
02	Exit only, dummy trim	5202 × 602	1,547.00	119.00
03	Key retracts latchbolt	5203 × 603		
02	Exit only, dummy trim	5202 × 702A	1,637.00	209.00
03	Key retracts latchbolt	5203 × 703A		
Lever Trim:				
08	Key controls lever	5208 × 808A	1,900.00	472.00
14	Lever always active	5214 × 814A		
Device Only:				
	01, 02, 03, 08, 14	5201, 5202, 5203*, 5208, 5214	1,428.00	–
*5103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"				
FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL5103] Dogging option NOT available			Add 340.00

*5103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"

FL	Fire Rated Hardware Specify prefix "FL" (e.g. FL5103) Dogging option NOT available	Add 340.00
-----------	---	-------------------

Options

Prefix	(add to device #)	Add	Suffix	(add to device #)	Add
TDS	Touchbar Monitoring Double Switch	594.00	ALK	Exit Alarm: battery operated kit (9V battery included)	1,131.00
TS	Touchbar Monitoring Switch	489.00	ALW	Exit Alarm: remote power kit (12 or 24 VDC)	1,131.00
WTDS	Weatherized Touchbar Monitoring Double Switch	796.00	CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included	171.00
WTS	Weatherized Touchbar Monitoring Switch	634.00	LBR	Less Bottom Rod (no extra charge)	–
NOTES: • Devices are priced less cylinders. If cylinder is required please see cylinders. • Devices for 3'-0" door are furnished standard. • Devices for 4'-0" doors are available at no extra charge. • 603 and 703 Trims use a Rim Cylinder; 808A Trims use a Mortise Cylinder • Top Rod for 7'-0" high door is furnished standard. • Top Rod for 8'-0" to 10'-0" high door is available at no extra charge. (See catalog for fire rating). • Factory cutting of custom sizes for Precision series exit devices not available.			LD	Less Dogging	76.00
			SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) without Trim	168.00
			SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) LBR Device w/o Trim.	126.00
			SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) with Trim	126.00
			SNB	SNB Sex Nut and Bolt (4 req'd - not including rod guides) LBR Device with Trim	84.00
			WALW	Weatherized Exit Alarm: remote power (24 VDC)	1,413.00

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

100 – Precision Rim - 100 Handed, R100 Reversible, Crossbar

Precision Series



Pull Trim:



Lever/Knob Trim:

Outside Function		Device × Trim	606, 612, 613, 630	605, 625
Pull Trim:				
01	Exit only, cover plate	101, R101 × 1701	2,494.00	2,796.00
02	Exit only, dummy trim	102, R102 × 1702A	2,760.00	3,076.00
03	Key retracts latchbolt	103, R103 × 1703A		
05	Key controls thumb piece	105, R105 × Y1705A	2,941.00	3,261.00
15	Thumb piece always active (Devices with 2000C Series Trim are the same price)	115, R115 × Y1715A		
Lever/Knob Trim:				
01	Exit only, cover plate	101, R101 × 4901	2,540.00	2,780.00
02	Exit only, dummy trim	102, R102 × 4902A	3,011.00	3,251.00
03	Key retracts latchbolt	103, R103 × 4903A		
08	Key controls lever/knob	108, R108 × Y4908A	3,183.00	3,423.00
08	Key controls lever	108, R108 × VY4908A		
14	Lever/knob always active	114, R114 × Y4914A		
Device Only:				
	01, 02, 03, 05, 08, 14, 15	101, R101, 102, R102, 103*, R103*, 105, R105, 108, R108, 114, R114, 115, R115	2,305.00	2,545.00
*103 or R103 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03"				
UltraShield™ Antimicrobial finish coating option available Precision Exit Devices & Trims. 630AM list price add \$110.00 Exit Devices, \$42.00 Trims				
FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL203] Dogging option NOT available			Add 340.00

Options

Suffix	(add to device #)	Add
CBR	Reinforced Crossbar	103.00
FC	Factory Cut	22.00
LD	Less Dogging	76.00
SEC	Security Screws (crossbar arm screws are hex socket head)	91.00
SNB	SNB Sex Nut and Bolt (8 req'd) without Trim	168.00
SNB	SNB Sex Nut and Bolt (4 req'd) with Trim	84.00

NOTES:

- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard.
- Devices for 4'-0" doors are available at no extra charge.
- Trim No. with prefix "Y" is for Precision Device only.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

200 – Precision Surface Vertical Rod - Non Handed, Crossbar

Precision Series



Pull Trim:



Lever/Knob Trim:

Outside Function		Device × Trim	606, 612, 613, 630	605, 625
Pull Trim:				
01	Exit only, cover plate	201 × 1701	3,402.00	3,726.00
02	Exit only, dummy trim	202 × 1702A	3,668.00	4,006.00
03	Key retracts latchbolt	203 × 1703A		
05	Key controls thumb piece	205 × Y1705A	3,849.00	4,191.00
15	Thumb piece always active [Devices with 2000C Series Trim are the same price]	215 × Y1715A		
Lever/Knob Trim:				
01	Exit only, cover plate	201 × 4901	3,448.00	3,763.00
02	Exit only, dummy trim	202 × 4902A	3,919.00	4,353.00
03	Key retracts latchbolt	203 × 4903A		
08	Key controls lever/knob	208 × Y4908A	4,091.00	4,530.00
08	Key controls lever	208 × VY4908A		
14	Lever/knob always active	214 × Y4914A		
Device Only:				
	01, 02, 03, 05, 08, 14, 15	201, 202, 203*, 205, 208, 214, 215	3,213.00	3,475.00
*203 Device × Cylinder Only Application includes Cylinder Attachment Kit "CA-03" UltraShield™ Antimicrobial finish coating option available Precision Exit Devices & Trims. 630AM list price add \$110.00 Exit Devices, \$42.00 Trims				
FL	Fire Rated Hardware Specify prefix "FL" [e.g. FL203] Dogging option NOT available			Add 340.00

Options

Suffix	{add to device #}	Add
CBR	Reinforced Crossbar	103.00
FC	Factory Cut	22.00
LBR	Less Bottom Rod (no extra charge)	–
LD	Less Dogging	76.00
SEC	Security Screws (crossbar arm screws are hex socket head)	91.00
SNB	SNB Sex Nut and Bolt (12 req'd - not including rod guides) without Trim	252.00
SNB	SNB Sex Nut and Bolt (10 req'd - not including rod guides) LBR Device without Trim	210.00
SNB	SNB Sex Nut and Bolt (8 req'd - not including rod guides) with Trim	168.00
SNB	SNB Sex Nut and Bolt (6 req'd - not including rod guides) LBR Device with Trim	126.00
TMB	Transom Bracket	77.00

- NOTES:**
- Devices are priced less cylinders. If cylinder is required please see cylinders.
 - Devices for 3'-0" door are furnished standard.
 - Devices for 4'-0" doors are available at **no extra charge**.
 - Top Rod for 7'-0" high door is furnished standard.
 - Top Rod for 8'-0" to 12'-0" high door is available at **no extra charge**. (See catalog for fire rating).
 - Trim No. with prefix "Y" is for Precision Device only.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

300 – Precision Mortise - Handed, Crossbar

Precision Series



Pull Trim:



Lever/Knob Trim:

Outside Function		Device × Trim	606, 612, 613, 630	605, 625
Pull Trim:				
01	Exit only, cover plate	301 × 1701	3,351.00	3,677.00
02	Exit only, dummy trim	302 × 1702A	3,617.00	3,957.00
03	Key retracts latchbolt	303 × 1703A		
05	Key controls thumb piece	305 × M1705A	3,798.00	4,142.00
15	Thumb piece always active (Devices with M2000C Series Trim are the same price)	315 × M1715A		
Lever/Knob Trim:				
01	Exit only, cover plate	301 × 4901	3,397.00	3,714.00
02	Exit only, dummy trim	302 × 4902A	3,868.00	4,304.00
03	Key retracts latchbolt	303 × M4903A		
08	Key controls lever/knob	308 × M4908A	4,040.00	4,481.00
08	Key controls lever	308 × VM4908A		
14	Lever/knob always active	314 × M4914A		
Device Only:				
	01, 02, 03, 05, 08, 14, 15	301, 302, 303, 305, 308, 314, 315	3,162.00	3,426.00
FL	Fire Rated Hardware Specify prefix "FL" (eg FL203) Dogging option NOT available			Add 340.00

UltraShield™ Antimicrobial finish coating option available Precision Exit Devices & Trims. 630AM list price add \$110.00 Exit Devices, \$42.00 Trims

Options

Suffix	(add to device #)	Add
CBR	Reinforced Crossbar	103.00
FC	Factory Cut	22.00
LD	Less Dogging	76.00
SEC	Security Screws (crossbar arm screws are hex socket head)	91.00
SNB	SNB Sex Nut and Bolt (8 req'd) without Trim	168.00
SNB	SNB Sex Nut and Bolt (4 req'd) with Trim	84.00

NOTES:

- Devices are priced less cylinders. If cylinder is required please see cylinders.
- Devices for 3'-0" door are furnished standard
- Devices for 4'-0" doors are available at no extra charge
- For mortise lock body ONLY.

SPLIT FINISHES: When split finish is specified, the finish listed first is for outside trim. To obtain proper list price, add "Device Only" price to appropriate "Trim" price.

To Order: Specify: Device No. with options × Trim × Hand × Finish × Door Width, Height and Thickness.

7R0 – Arm-A-Dor® – Security Exit Hardware

Arm-A Dor®



Complete Product Assemblies

Product Number	Description	Alarm	Fits Door Widths	Fits Jamb's Up To	US28/628
A101-001	Automatic Relock	No	3' TO 4'	6 3/4"	2,287.00
A101-002	Automatic Relock	Yes*	3' TO 4'	6 3/4"	2,549.00
A101-012	Automatic Relock	No	3' ONLY	5 1/4" - 5 3/4"	2,015.00
A101-013	Automatic Relock	Yes*	3' ONLY	5 1/4" - 5 3/4"	2,287.00
A101-014	Automatic Relock	No	4' ONLY	5 1/4" - 5 3/4"	2,203.00
A101-015	Automatic Relock	Yes*	4' ONLY	5 1/4" - 5 3/4"	2,470.00
A102-001	Manual Relock	No	3' TO 4'	6 3/4"	2,203.00
A102-002	Manual Relock	Yes*	3' TO 4'	6 3/4"	2,470.00
A101-F01	Automatic-Fire Rated	No	3' TO 4'	6 3/4"	2,549.00
A101-F02	Automatic-Fire Rated	Yes*	3' TO 4'	6 3/4"	2,816.00

* ALARM MODELS A101-002, A101-013, and A101-F02 require two 9 volt batteries (INCLUDED) and a Standard 1-1/8" mortise cylinder (NOT INCLUDED).

Optional Kits: (A/C Adapter, Alarm, Double Door, Low Profile)

Kit Number	Description	US28/628
A103-002	Switch - For wiring to existing system (one individual kit)	118.00
A103-003	Alarm Sub - Assembly	1,041.00
A104-001	Low Profile Installation Kit - For door jamb's greater than 6 3/4"	317.00
A106-001	Standard Double Door Kit - For all models	468.00
A106-002	Low Profile Installation Kit - For jamb depths greater than 6 3/4"	498.00
A107-001	A/C Adapter Kit - For plug in battery back-up	532.00
A107-002	A/C Adapter Hard Wire Kit - Wiring to electrical system w/battery back-up	734.00
DROP SHIP	Drop Ship Fee For Items Shipped Under \$300	118.00


Deadbolts (Required) For Double Door Applications:

Model	Description	US28/628
1881-003	Sliding Deadbolt w/Padlock locking Hasp & Strike	333.00
1883-003	Sliding Deadbolt Keylocking with Strike	381.00

To Order: Specify: 7R-A101-001 x US28/628.

Precision Wide & Narrow Stile, Precision Trim

Trims



Trim Number	606, 612, 613, 622, 626W, 630, 690	605, 625	Trim Number	606, 612, 613, 622, 626W, 630, 690	605, 625
1701, R1701, 2001 (cover plate)	189.00	251.00	4901, R4901, 2901 (cover plate)	235.00	288.00
1702A, R1702A, 1703A, R1703A, C1702A, C1703A, 2002C, 2003C	455.00	531.00	4902A, R4902A, 4903A, 4903X, R4903A, M4903A, M4903X, RM4903A, 2902A, 2903A	706.00	878.00
1705A, R1705A, 1715A, R1715A, C1705A, C1715A, Y1705A, Y1715A, M1705A, M1715A, RM1705A, RM1715A, 2005C, 2015C, Y2005C, Y2015C, M2005C, M2015C	636.00	716.00	4908A, R4908A, 4914A, R4914A, Y4908A, Y4914A, M4908A, M4914A, RM4908A, RM4914A, 2908A, 2914A, BF4914†, BFR4914A†, BF4908A†, BFV4908A†, BFR4908A†, BFRV4908A†, BF2914A†, BF2908A†	878.00	1,055.00
NOTES: • 630 Trim furnished for 628 Devices. Grip Style "A" and "B" are furnished 626W for 630 Trim. • Specify No. C03 Cylinder Attachment Trim for 2803 Device when Pull by Others is specified. • Available in 605, 606, 612, 613, 625 and 626 finishes. • 630AM list price for Trims add \$42.00			V4908A, RV4908A, VM4908A, VY4908A, RVM4908A	878.00	1,055.00
			• Lever Trims are shipped handed. Specify Hand. • 626W Trim is furnished for 628 and 630 Devices. • 2900 Series Trims are available for Precision Narrow Stile only. • Knurled Knob/Lever, Grip "KNR" add \$134.00 † BF is only available in A, B, and D style levers. When BF exits are ordered with active function (08, 14) lever trim, the trim also meets 5lb operational force.		

How to Order:

Style: 17, 20, 49, 29	Function
Prefix designates: "BF" Barrier Free "C" Concealed Vertical Rod Trim "M" Mortise Trim "R" Retrofit Trim "V" Vandal Resistant (4908 Lever Trim only) "Y" Precision Trim	Specify: Grip Design (A,B,C) Lever or Knob Design (A,B,C,D,K) 4903X – X = Less Lever Decorative Levers (P) w/corresponding number
Product Series	Suffix: "KNR" Knurled Lever or Grip
3R0V4908AKNR * RHRB * 630 * 1-3/4"	
Trim No.	Hand Finish Door Thickness

- NOTES:** • UltraShield™ Antimicrobial finish coating option available to Precision Trims.
- 630AM list price for Trims Add \$42.00
- For pricing on trims for the 5100 and 5200 series devices.
 - Devices are priced less cylinders. If cylinder is required please see cylinders
 - Trims with "M" prefix require 1-1/4" Mortise Type Cylinder.
 - 2900 Series Trim - Rim Type Cylinder for "03" function and Mortise Type Cylinder for "08" function, not furnished standard. Use 1-1/4" long standard Mortise Cylinder. Specify when required.
 - All other Trims require Rim Type Cylinder.
 - Trim No. with prefix "Y" is for Precision Device only.
 - **No extra charge** for different Lever or Grip styles. A Lever/Grip Standard.

Description	Product No.	Primer 600	Aluminum 689 or Dark Bronze 695
Complete Mullion Assemblies			
Removable Mullion - 2" x 2" x 8'-0"			
Standard	811	866.00	1,018.00
Removable Mullion - 2" x 3" x 8'-0"			
Standard	822	1,102.00	1,255.00
Fire Labeled (Includes Stabilizers)	FL822	1,415.00	1,567.00
Hurricane Code	HC822	1,567.00	1,723.00
Fire Labeled Hurricane Code	FLC822	1,886.00	2,035.00
Key Removable Mullion - 2" x 3" x 8'-0"			
Standard	KR822	1,886.00	2,119.00
Fire Labeled (Includes Stabilizers)	FLKR822	2,270.00	2,428.00
Hurricane Code	HCKR822	2,428.00	2,591.00
Fire Labeled Hurricane Code (Includes Stabilizers)	FLHCKR822	2,738.00	2,645.00
*Key Removable Mullion Storage Kit			
Storage solution for all KR mullions Note: Kit includes (1) KMC822 Top Fitting, (1) MB822 Bottom Fitting and (1) AB822SK Angle Bracket	KMCB822SK	1,283.00	1,356.00
Individual Mullion Fittings			
Mullion Cap	MC811	179.00	206.00
Bottom Fitting-flat sill	MB811	129.00	166.00
Mullion Cap	MC822	289.00	318.00
Bottom Fitting-flat sill	MB822	238.00	277.00
Mullion Storage Kit Individual Angle Bracket			
Storage Kit Angle Bracket	AB822SK	179.00	179.00
Key Removable Mullion Cap Kit			
Mullion Cap Assembly	KMC822	866.00	900.00
Fire Labeled Mullion Cap Assembly	KMC822F	1,250.00	1,209.00
Mullion Fitting Combination Kits			
811 Mullion Top & Bottom Fitting Kit (MC811 & MB811)	MCB811	280.00	336.00
822 Mullion Top & Bottom Fitting Kit (MC822 & MB822)	MCB822	474.00	533.00
FL 822 Mullion Top & Bottom Fitting Kit (MC822 & MB822)	MCB822F	474.00	533.00
KR 822 Mullion Top & Bottom Fitting Kit (KMC822 & MB822)	KMCB822	985.00	1,156.00
FL KR 822 Mullion Top & Bottom Fitting Kit (MB822 & KMC822F)	KMCB822F	1,328.00	1,334.00
HC 822 Mullion Top & Bottom Fitting Kit (MB822 & MC822 & Mullion adapters (A,B,D))	MCB822HC	823.00	883.00
FL HC 822 Mullion Top & Bottom Fitting Kit (MB822 & MC822 & Mullion adapters (A,B,D))	MCB822HCF	823.00	883.00
HC KR 822 Mullion Top & Bottom Fitting Kit (KMC822 & MB822 & mullion adapter)	KMCB822HC	1,335.00	1,406.00
FL HC KR 822 Mullion Top & Bottom Fitting Kit (KMC822F & MB822 & mullion adapter)	KMCB822HCF	1,678.00	1,684.00
822 Mullion Accessories			
**Mullion Cap Spacer	MCS822	125.00	152.00
Stabilizers (2 per mullion) - Dull Black	ST989	143.00	Dull Black
Interlock - Dull Black	SI447	111.00	Dull Black

NOTES:

- For greater heights add \$20.00 for each additional 12" or less
- Removable Mullion and Key Removable Mullion prices include top and bottom Fittings.
- Fire Labeled (FL) and Hurricane Code (HC) mullions 8'0" high maximum
- For individual kit or combination kits please see sections above
- * Rim Cylinder not included
- ** MCS822 mullion cap spacer available as suffix option for 822 series mullions (e.g. 822MCS x 600 x 8')

Strikes

Strikes & Accessories

Description	Series	Strike No.	Dull Black	605, 606, 612 613, 625, 626W, 630
Strikes - Rim Devices				
Standard	2100, 5100, 100, R100, FL2100, FL5100, FL100, FR100	S300	118.00	–
	2400, FL2400-Pair of Doors with Mullion			
	2400, FL2400-Single Door (Roller Strike)	S988	147.00	–
Optional	2100, 2400, 5100, 100, R100, FL2100, FL2400, FL5100, FL100, FLR100 (Roller Strike)	S301	147.00	–
	2100, 2400, 5100, 100, R100, FL2100, FL2400, FL5100, FL100, FLR100 (Roller Strike)	S458	147.00	–
	2100, 5100, 100, R100 (Roller Strike)	S988	151.00	–
	2100 × 2200, 5100 × 5200, 100 × 200	S459	84.00	–
Strikes - Vertical Rod Devices				
Top Strike	2200, FL2200, 5200, FL5200, 200, FL200	S300	118.00	–
Optional	2200, FL2200, 5200, FL5200, 200, FL200	S301	147.00	–
Bottom Strike	2200, FL2200, 5200, FL5200, 200, FL200	S460	100.00	–
Strikes - Mortise Devices				
Standard	Std Curved Lip Single Door ANSI (handed)	S982	–	118.00
Optional	Flat 7/8" Lip ANSI (handed)	S983	–	118.00
	Open Back ANSI (handed)	S984	–	219.00
	Open Back 8" × 1-1/4" (handed)	S985	–	236.00
Strikes - Concealed Vertical Rod Devices				
Top Strike	2700, FL2700, 2800, FL2800, 2600, FL2600	S519	118.00	–
Bottom Strike	2700, FL2700, 2800, FL2800, 2600, FL2600	S460	100.00	–

Accessories

Series	Description	Product No.	628	606, 612, 613 622, 630, 690	626W, 605, 625
Rigid Dummy Touchbar					
Precision	Wide Stile Rigid	671DR-3, 671DR-4	1,115.00	1,414.00	1,631.00
	Narrow Stile Rigid	N673DR-3, N673DR-4			
Active Dummy Touchbar With Micro Switch					
Precision	Wide Stile Active	TS672DA-3, TS672DA-4	1,899.00	1,921.00	2,155.00
	Narrow Stile Active	TSN674DA-3, TSN674DA-4			
Options For Active Dummy Touchbar					
ALK	Exit Alarm: battery operated kit (9V battery included)				1,131.00
ALW	Exit Alarm: remote power kit (12 or 24 VDC)				1,131.00
CD	Cylinder Dogging: 1-1/4" Mortise Cylinder not included				171.00
DS	Door Position Monitoring Switch				240.00
TDS	Touchbar Monitoring Double Switch				594.00

Series	Description	Product No.	All Finishes
Mortise Lock - Handed			
Precision & Precision	Functions 01, 02, 03	M303, M303F	1,102.00
	Functions 05, 08, 14, 15	M308, M308F	
	Functions 10	M310, M310F	

NOTES: • For Electric Mortise Lock see page 26.
• 1-1/4" mortise cylinder not included. If cylinder is required please see cylinders below.

• Lock front furnished beveled.
• Available in 605, 606, 612, 613, 625, 630 Finishes.
• When ordering specify: model no, hand and finish. (e.g. M303 × RHRB × 630)

Fire Bolt Assembly			
Precision & Precision	Fire Bolt Assembly	FB277	271.00
Transom Bracket			
Precision & Precision	Transom Bracket	TMB453 (Use Strike No. S300)	116.00

Accessories (continued)

Strikes & Accessories

Series	Description	Product No.	All Finishes
Tools			
All Devices	7/32" Dogging Key	DK220	33.00
	5/32" Hex Wrench*	HW996	
Cylinders			
	Rim Cylinder	IE72	See BEST Price Book for more detail
	Mortise Cylinder	IE74 C4	

NOTE: Rim and mortise cylinders (housings) as well as interchangeable cores are available from our BEST product line. Please ask your local BEST sales representative about the many options available to fit your specific requirements including patented keying systems such as BEST CORMAX™.

Electrical Products

Description	Product No.	List Price
Power Supply - Series ELR150 (Required For ELR Devices)		
Power Supply including (1) control module for (1) device	ELR151	1,236.00
Power Supply including (2) control modules for (2) devices	ELR152	1,689.00
Power Supply including (3) control modules for (3) devices	ELR153	2,145.00
Power Supply including (4) control modules for (4) devices	ELR154	2,601.00
Power Supply, no control modules	ELR150	784.00
Control Module		
Control Module card (on/off adjustable Time Delay standard)	CM150-08	460.00
Battery Back-Up		
Battery back-up card (batteries not included)	BT150-07	842.00
Power Supply - Series PS160-6 (Required For DE Devices)		
Power Supply (6 amp) operates up to (4) DE Devices (wire run permitting)	PS161-6	1,284.00
Power Supply - RPSMLR (RPSMLR Models Can Power Up To (2) Two MLR Exit Devices)		
Small enclosure, no battery storage	RPSMLR2	1,073.00
Large enclosure for battery storage (Batteries not included)	RPSMLR2BB	1,266.00

Conversion Kits

Description	Product No.	List Price
Electric Latch Retraction*		
For 3'-0", 4'-0" Precision Wide Stile Device	ELRK-3, ELRK-4, ELRKF-3, ELRKF-4	1,654.00
For 3'-0", 4'-0" Precision Narrow Stile Device	NELRK-3, NELRK-4, NELRKF-3, NELRKF-4	1,654.00

NOTES: • ELR Conversion Kits are ONLY available for Precision 2000 Series Devices.

* Requires PHI ELR150 Power Supply (see above).

Motorized Latch Retraction		
Motorized Latch Retraction Retrofit Kit	RPMLR-K	2,228.00

NOTE: When RPMLR-K is ordered for existing exit devices using Hex or Cylinder Dogging, it is recommended to include a blank hinge filler.
See Precision Precision 2000 illustrated parts catalog www.precisionhardware.com

Monitoring			
All Precision Devices	Touchbar Monitoring Switch	TSK309	489.00
All Precision Devices	Touchbar Monitoring Double Switch	TDSK310	594.00
Precision Wide Rim Device Only	Latchbolt Monitoring Switch	LSRK298	489.00
Precision Wide Rim Device Only	Latchbolt Monitoring Double Switch	LDSRK299	594.00
Precision Wide SVR or CVR Devices Only	Latchbolt Monitoring Switch	LSVK910	489.00

Electrical Products (continued)

Strikes & Accessories

Description	Product No.	List Price
Q Option Retrofit Kits		
Wireless Access Management System	OSRK5267 – 2103 Rim OSVK5268 – 2203, 2703 Surface and Concealed Vertical Rod Surface and Concealed Vertical Rod	963.00

NOTES:

- For additional product details see Precision 2000 series catalog section.
- Latchbolt Monitoring for Precision Mortise Devices, specify LSM303 or LSM308 Electric Mortise Lock.

Electric Rim Device			
2103, FL2103 Rim Devices	Electric Lock/Unlock Outside Trim	E2103K	1,102.00

Description	Product No.	All Finishes
Electric Mortise Lock		
Latchbolt monitoring, "03" Function	LSM303, LSM303F	1,587.00
Latchbolt monitoring, "08" Function	LSM308, LSM308F	
Electric lock/unlock with switch to monitor outside trim (locked/unlocked)	EM303, EM303F	2,215.00
Electric lock/unlock with switches to monitor the outside trim (locked or unlocked) and to monitor the latchbolt	LSEM303, LSEM303F	2,314.00

NOTES:

- Fail Secure "FSE" is furnished standard. When Fail Safe is required specify "FS".
- Electric lock/unlock option specify 24V.
- Price does not include 1-1/4" mortise cylinder. If cylinder is required please see cylinders.
- Lock front furnished beveled.
- When ordering specify: model no., voltage (24V), Fail Safe/Fail Secure, hand and finish. (e.g. EM303 × 24V × FS × RHRB × 630)

Device Series	Description	Device Size	Kit No.	All Finishes
Exit Alarm Kit				
Precision Wide Stile	Battery Operated*	3'-0"	ALK-3	1,097.00
		4'-0"	ALK-4	
	Remote Power	3'-0"	ALW-3	
		4'-0"	ALW-4	
Precision Narrow Stile	Battery Operated*	3'-0"	NALK-3	1,097.00
		4'-0"	NALK-4	
	Remote Power	3'-0"	NALW-3	
		4'-0"	NALW-4	
Precision**	Battery Operated*	3'-0"	RALK-3	1,001.00
		4'-0"	RALK-4	
	Remote Power	3'-0"	RALW-3	
		4'-0"	RALW-4	
WH495 Wiring Harness - Required for Remote Arming/Disarming the Alarm				42.00

NOTES:

- Narrow and Wide Stile, kits are available in 605, 606, 612, 613, 625, 628, 630 Finishes.
- To order specify Kit No. and Finish (e.g. ALK-3 × 630).
- * For Battery operated kits a 9 Volt Battery is included.
- ** Precision Series, kits are available in 689 or 695 Finishes.

Device Series	Description	Device Size	Kit No.	All Finishes
Door Position Monitoring Switch*				
Precision Wide Stile	Door Position Switch Kit	All	DS880	232.00
Precision Narrow Stile	Door Position Switch Kit	All	NDS986	

* Kit includes Endcap and Endcap Mounting Bracket, specify finish.

Power Transfer			
Conc Power Transfer - accepts 5/16" wire bundle - max. 120° degree swing	EPT-5		383.00
Door Loop - Armored Flex Conduit (less wires) 18" long - max. 120° degree swing	EPT-2		114.00
Electric Power Transfer	EPT-12C		1,087.00

Precision Component Assemblies - Wide Stile

Component Assemblies

Description	Function/Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622, 630, 690	626W, 605, 625
Active Case (Includes Lock Side Filler)						
Rim - Reversible	01, 02, 03	A2103, BFA2103	-	1,170.00	1,247.00	1,407.00
	05, 08, 14, 15	A2108, BFA2108				
Rim - Reversible (Fire Rated)	01, 02, 03	A2103F, BFA2103F	-	1,414.00	1,491.00	1,656.00
	05, 08, 14, 15	A2108F, BFA2108F				
Surface Vertical Rod - Reversible	01, 02, 03	A2203, BFA2203, A2203F, BFA2203F	-	1,170.00	1,247.00	1,407.00
	05, 08, 14, 15	A2208, BFA2208, A2208F, BFA2208F				
Mortise - Reversible	01, 02, 03, 05	A2303, BFA2303				
	08, 14, 15	A2303F, BFA2303F				
Concealed Vertical Rod (metal) - Reversible	01, 02, 03	A2803, BFA2803, A2803F, BFA2803F				
	05, 08, 14, 15	A2808, BFA2808, A2808F, BFA2808F				
Concealed Vertical Rod (wood) - Reversible	01, 02, 03	A2703, BFA2703, A2703F, BFA2703A				
	05, 08, 14, 15	A2708, BFA2708, A2708F, BFA2708F				
Top Latch						
Surface Vertical Rod (630 furnished for 628, includes Latch Cover)	2200, FL2200	TL22, TL22F	-	-	598.00	653.00
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)	2800, FL2800	TL28-8, TL28-10, TL28F-8, TL28F-10	395.00	-	-	-
Concealed Vertical Rod (wood, includes Top Latch & Rod Assembly)	2700, FL2700	TL27-8, BFTL27-8, TL27-10, BFTL27-10, TL27F-8, BFTL27F-8, TL27F-10, BFTL27-10	605.00	-	-	-
Bottom Latch						
Surface Vertical Rod (630 furnished for 628, includes Latch Cover)	2200, FL2200	BL22, BL22F	-	-	531.00	607.00
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)	2800, FL2800	BL28, BFBL28, BL28F, BFBL28F	285.00	-	-	-
Concealed Vertical Rod (wood, includes Top Latch & Rod Assembly)	2700, FL2700	BL27, BFBL27, BL27F, BFBL27F	473.00	-	-	-
Covers						
Active Case						
Rim	2100, FL2100, BF2100, BF FL2100	AC21, ACBF21, ACFL21, ACBFFL21	-	199.00	285.00	370.00
Rim "10" Function - Handed	2110, FL2110, BF 2110, BF FL2110	AC2110, ACBF2110, ACFL2110, ACBFFL2110				
Surface Vertical Rod	2200, FL2200, BF2200, BF FL2200	AC22, ACBF22, ACFL22, ACBFFL22				
Mortise	2300, FL2300, BF2300, BF FL2300	AC23, ACBF23, ACFL23, ACBFFL23				
Mortise "10" Function - Handed	2310, FL2310, BF2310, BF FL2310	AC2310, ACBF2310, ACFL2310, ACBFFL2310				
Concealed Vertical Rod	2700, FL2700, BF2700, BF FL2700 2800, FL2800, BF2800, BF FL2800	AC23, ACBF23, ACFL23, ACBFFL23	-	173.00	243.00	279.00
Rim "10VI" Function With Visual Lock/Unlock Indicator Window	2110VI, FL2110VI, BF2110VI, BF FL2110VI	AC2110VI, ACBF2110VI, ACFL2110VI, ACBFFL2110VI	-			
SVR Latch Case						
(Top or Bottom) (630 furnished for 628)	2200, FL2200	LC22	-	-	257.00	317.00

NOTES: • Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.
• Specify Hand for all reversible Active Case Assemblies.

Precision Component Assemblies - Wide Stile

Component Assemblies

Description	Function/Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622, 630, 690	626W, 605, 625
Touchbar Components						
Touchbar Assembly (less active case, end cap & brkt.)	All Devices	TBA-3, BFTBA-3, FLTBA-3, BFFLTBA-3 TBA-4, BFTBA-4, FLTBA-4, BFFLTBA-4 TBA-26, BFTBA-26, FLTBA-26, BFFLTBA-26	–	1,356.00	1,568.00	1,745.00
Device Endcap						
Endcap	All Devices	EC992	–	–	121.00	160.00
Mounting Bracket	All Devices	MB305	84.00	–	–	–
Center Chassis						
Concealed Vertical Rod (metal)	2800, FL2800	CCH344	545.00	–	–	–
Top Rod						
Surface Vertical Rod	7'-0"	TRI854	–	–	140.00	182.00
(Includes Rod Pin, Clip & Rod Guide)	8'-0"	TRI855				
(630 furnished for 626 and 628)	10'-0"	TRI857				
(12'-0" is not available on Fire Rated Devices)	12'-0"	TR5197				
Concealed Vertical Rod (metal)	6'-8" to 8'-0"	TR551, BFTR551	199.00	–	–	–
	8'-1" to 10'-0"	TR552, BFTR552				
Concealed Vertical Rod (wood)	6'-8"to 8'-0"	TR554, BFTR554	333.00	–	–	–
	8'-1" to 10'-0"	TR555, BFTR555				
Bottom Rod						
Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide) (630 furnished for 626 and 628)	All Devices	BR1859	–	–	140.00	182.00
Concealed Vertical Rod (metal) (Includes Bottom bolt)	All Devices	BR553, BFBR553	199.00	–	–	–
Concealed Vertical Rod (wood) (Includes Bottom bolt)	All Devices	BR556, BFBR556	333.00	–	–	–
Extended Bottom Rod						
Surface Vertical Rod	All Devices	BR5247-09	–	–	222.00	269.00
Concealed Vertical Rod (metal) (Bottom bolt NOT included)	All Devices	BR5244-09	170.00	–	–	–
Concealed Vertical Rod (wood) (Bottom bolt NOT included)	All Devices	BR5246-09	170.00	–	–	–
Rod Guide, Pin & Clip						
Surface Vertical Rod	2200, FL2200	RG124	–	–	70.00	71.00
Cylinder Dogging Kit						
Cylinder Dogging Kit (1-1/4" Mortise Cylinder not included)	All Devices	CDK-3, CDK-4	–	254.00	254.00	260.00
Double Cylinder Kit - "10" Function - Handed (Cylinders not included)						
Rim Device (Includes locking/cylinder assy, cylinder collar and active case cover)		RDC-10	-	618.00	694.00	819.00
Double Cylinder With Visual Lock/Unlock Indicator Kit – "10VI" Function – Handed						
Rim Device (Includes locking cylinder assy, cylinder collar, flag assembly and active case cover)		RDC-10VI	–	961.00	1,031.00	1,138.00
Fire Rated Rim Device (Includes locking cylinder assy, cylinder collar, flag assembly and FL active case cover)		FRDC-10VI	–	1,200.00	1,269.00	1,176.00
Mortise Device (Includes M310 Mortise Lock, extension assy, cylinder bracket/collar and active case cover)		MDC-10	–	1,720.00	1,796.00	1,921.00
Shim Kit						
One set of 1/8" shims	All Devices	SMK994 (Dull Black)	102.00	–	–	–
Back Plate						
Access Control Trim Center Driven Cam	All Devices	BP21	99.00	–	–	–

NOTE: Converts 2101, 2102, 2103, 2108 to 21 Center driven cam exit device

Precision Component Assemblies - Narrow Stile

Component Assemblies

Description	Function/Device Type	Assembly No.	Steel Plated	628	606, 612, 613, 622, 630, 690	626W, 605, 625
Active Case (Includes Lock Side Filler)						
Rim - Non Handed	All Functions	A24, BFA24	–	1,275.00	1,352.00	1,433.00
		A24F, BFA24F	–	1,512.00	1,595.00	1,757.00
Concealed Vertical Rod (metal) - Non Handed	All Functions	A26, BFA26, A26F, BFA26F	–	1,275.00	1,352.00	1,508.00
Cover						
Active Case						
Rim	2400, BF2400, FL2400, BFFL2400	AC24, ACBF24, ACFL54, ACBFFL24	–	199.00	285.00	364.00
Concealed Vertical Rod	2600, BF2600, FL2600, BFFL2600	AC26, ACBF26, ACFL26, ACBFFL26				
Touchbar Components						
Touchbar Assembly (less active case, end cap & bracket)	All Devices	NTBA-3, BFNTBA-3, FLNTBA-3, BFFLNTBA-3 NTBA-4, BFNTBA-4, FLNTBA-4, BFFLNTBA-4	–	1,468.00	1,709.00	1,886.00
Device Endcap						
Endcap	All Devices	NEC993	–	–	132.00	172.00
Mounting Bracket	All Devices	NMB591	91.00	–	–	–
Center Chassis						
Concealed Vertical Rod (metal)	2600, FL2600	CCH343	638.00	–	–	–
Top Latch						
Concealed Vertical Rod (metal, includes Top Latch & Rod Assembly)	2600	TL28-8, BFTL28-8, TL28-10, BFTL28-10	395.00	–	–	–
	FL2600	TL28F-8, BFTL28F-8, TL28F-10, BFTL28F-10				
Bottom Latch						
Concealed Vertical Rod (metal, includes Bottom Bolt & Rod Assembly)	2600	BL28, BFBL28	285.00	–	–	–
	FL2600	BL28F, BFBL28F				
Top Rod						
Concealed Vertical Rod (metal)	6'-8" to 8'-0"	TR551, BFTR551	216.00	–	–	–
	8'-1" to 10'-0"	TR552, BFTR552				
Bottom Rod						
Concealed Vertical Rod (metal) (Includes Bottom Bolt)	All Devices	BR553, BFR553	216.00	–	–	–
Extended Bottom Rod						
Concealed Vertical Rod (metal) (Bottom bolt NOT included)	All Devices	BR5244-09	184.00	–	–	–
Cylinder Dogging Kit						
Narrow Cylinder Dogging Kit (1-1/4" Mortise Cylinder Not Included,)	All Devices	NCDK-3, NCDK-4	–	273.00	273.00	285.00
Shim Kit						
Kit consists of: one set of 1/8" shims	All Devices	NSMK995 (Dull Black)	111.00	–	–	–

NOTE: Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.

Precision Component Assemblies

Component Assemblies

Description	Device Type	Assembly No.	Steel Plated	689, 695	Black
Covers					
Active Case					
Rim	5100, FL5100	AC5100	–	–	145.00
Surface Vertical Rod	5200, FL5200	AC5200			
SVR Latch Case (Top or Bottom)	5200, FL5200	LC5200	–	–	110.00
Device Endcap					
Endcap	All Devices	REC999	91.00	–	60.00
Mounting Bracket	All Devices	MB305			
Top Latch					
Surface Vertical Rod (Includes Latch Cover)	5200, FL5200	TL52, TL52F	–	–	394.00
Bottom Latch					
Surface Vertical Rod (Includes Latch Cover)	5200, FL5200	BL52, BL52F	–	–	329.00
Top Rod					
Surface Vertical Rod (Includes Rod Pin, Clip & Rod Guide)	7'-0"	RTR1860	–	113.00	–
	8'-0"	RTR1861			
	10'-0"	RTR1863			
Bottom Rod					
Surface Vertical Rod (metal) (Includes Rod Pin, Clip & Rod Guide)	All Devices	RBR1864	–	113.00	–
Extended Bottom Rod					
Surface Vertical Rod	All Devices	BR5248-09	–	182.00	–
Rod Guide, Pin & Clip					
Surface Vertical Rod	5200, FL5200	RRG123	–	–	34.00
Cylinder Dogging Kit					
Precision Cylinder Dogging Kit (1-1/4" Mortise Cylinder Not Included)		RCDK-3, RCDK-4	–	342.00	–

NOTES: • Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.
• Top and Bottom Latch assemblies are priced with covers, deduct cover price if not required.

Precision Component Assemblies - Crossbar

Component Assemblies

Description	Function/Device Type	Assembly No.	606, 612 613, 630	605, 625
Active Case				
Rim - Handed	01, 02, 03	A103	1,400.00	1,561.00
	05, 08, 14, 15	A108		
Rim - Reversible	01, 02, 03	ARI03	1,400.00	1,561.00
	05, 08, 14, 15	ARI08		
Rim - Handed	01, 02, 03	A103F	1,648.00	1,817.00
	05, 08, 14, 15	A108F		
Rim - Reversible	01, 02, 03	ARI03F	1,648.00	1,817.00
	05, 08, 14, 15	ARI08F		
Surface Vertical Rod - Reversible	01, 02, 03	A203, A203F	1,400.00	1,561.00
	05, 08, 14, 15	A208, A208F		
Mortise - Handed	All Functions	A303, A303F	1,400.00	1,561.00
Inactive Case				
All - Reversible	All Devices	BI23, BI23F	1,012.00	1,162.00
Top Latch				
Surface Vertical	200	TL22	598.00	653.00
Rod	FL200	TL22F		
Bottom Latch				
Surface Vertical	200	BL22	531.00	607.00
Rod	FL200	BL22F		
Covers				
Active Case				
Rim - Handed	100, FL100	AC10, AC10F	-	-
Rim - Reversible	R100, FLR100	ACR10, ACR10F		
Surface Vertical Rod	200, FL200	AC20, AC20F		
Mortise	300, FL300	AC30, AC30F		
Inactive Case				
Panic Exit Hardware	All Devices	HS123	290.00	380.00
Fire Exit Hardware	All Devices	HS123F		
SVR Latch Case				
(Top or Bottom)	200, FL200	LC22	257.00	317.00

NOTES:

- Assembly Nos. with Suffix "F" designate Assemblies for Fire Exit Hardware.
- Assemblies are priced with covers, deduct cover price if not required.
- * Specify Hand for all reversible or handed Active Case Assemblies.

Precision Component Assemblies - Crossbar

Component Assemblies

Description	Function/ Device	Assembly No.		Steel Plated	606, 612 613, 630	605, 625
Crossbar*		3' Door	4' Door			
Standard	All Devices	CB123-3	CB123-4	–	196.00	235.00
Reinforced	All Devices	CBR123-3	CBR123-4	–	226.00	267.00
Knurled	All Devices	CBK123-3	CBK123-4	–	280.00	310.00
Crossbar Plug						
	All Devices	CPI23		–	45.00	27.00
Top Rod*						
Surface Vert Rod	7'-0"	TRI854		–	140.00	182.00
	8'-0"	TRI855				
	10'-0"	TRI857				
	12'-0"	TR5197				
Bottom Rod*						
Surface Vertical Rod	All Devices	BRI859		–	140.00	182.00
Extended Bottom Rod						
Surface Vertical Rod	All Devices	BR5247-09		–	251.00	307.00
Rod Guide, Pin & Clip						
Surface Vertical Rod	200, FL200	RG124		–	75.00	78.00
Back Plate Assemblies - Rim Devices						
Rim	01, 02, 03	BPI03		64.00	–	–
	05, 08, 14, 15	BPI08				
Surface Vert Rod	01, 02, 03	BP203		111.00	–	–
	05, 08, 14, 15	BP208				

* 630 furnished for 626

Trim Components Assemblies

Series	Description	Kit No.				
Trim Function Conversion Kits						
4900 Trim	From "03" to "08" or "02" to "14"	FC-08	YFC-08	Precision	27100	
V4900 Trim	From "03" to "08" or "02" to "14"	VFC-08	YVFC-08	Precision	27100	
	From 4900 Trim to V4900 Trim	B-49-01	YB-49-01	Precision		
M4900 Trim	From "03" to "08" or "02" to "14"	MFC-08	MYFC-08	Precision		
2900 Trim	From "08" to "03" [** specify Lever Style and finish]	NFC-03			27100	
	From "03" to "08" [** specify Lever Style and finish]	NFC-08				
Cylinder Attachment Kits (Cylinders not included)						
Wide Stile	1700, 2000, 4900, V4900, 603 and 703A Series Trim	CA-03T			2900	
	Device, "03" function, no outside Trim	CA-03			3300	
Narrow Stile	Device, "03" function, no outside Trim	*NCA-03			3000	
	2900 Trim - for "03" function	CA-2903			6500	
	2900 Trim - for "08" function	CA-2908			6500	
Precision	808A Trim (specify finish 689 or 695)	RCA-08			6500	

** Please see specific catalog pages for finish designation.

* Specify finish

Weight Chart

Miscellaneous

Weights are to the nearest 0.25 Lb. and for estimating purposes only.	628		605, 606, 612, 613, 622, 625, 626W, 630, 690			689, 695 Precision
	Wide	Narrow	Wide	Narrow	Precision	
Devices - Less Trim						
Rim	15.00	14.25	18.50	18.00	14.00	15.00
Surface Vertical Rod	18.00	—	23.25	—	19.00	18.50
Less Bottom Rod	17.25	—	21.25	—	18.00	16.75
Mortise	17.00	—	20.00	—	16.00	—
Concealed Vertical Rod (metal)	19.25	18.75	22.50	22.00	—	—
Less Bottom Rod	18.25	17.50	21.50	21.00	—	—
Concealed Vertical Rod (wood)	18.75	—	22.50	—	—	—
Less Bottom Rod	17.00	—	21.00	—	—	—
Device with DE option: add 13.00						
Trims						
1700A	3.00	—	3.00	—	3.00	—
2000A	3.25	—	3.25	—	3.25	—
2900A	—	3.00	—	3.00	—	—
4900A, 4900K	5.50	—	5.50	—	5.50	—
V4908A	6.00	—	6.00	—	6.00	—
C03	2.00	—	2.00	—	2.00	—
501	—	—	—	—	—	0.75
602, 603	—	—	—	—	—	1.00
702, 703	—	—	—	—	—	1.75
808A, 814A	—	—	—	—	—	3.25
Active Case Assembly						
Rim Device	2.50	2.00	2.50	2.00	6.00	1.25
Vertical Rod Device	3.00	—	3.00	—	6.00	1.25
Mortise Device	2.25	—	2.25	—	5.50	—
Concealed Vertical Rod (metal)	3.00	1.75	3.00	1.75	—	—
Concealed Vertical Rod (wood)	3.00	—	3.00	—	—	—
Touchbar Assembly						
3'- 0" Device	10.25	10.25	13.75	13.75	—	10.25
4'- 0" Device	11.50	11.50	15.00	15.00	—	11.00
ELR Device	12.50	12.50	15.00	15.00	—	—
Dummy Touchbar	8.75	8.75	14.50	14.50	—	—
Inactive Case Assembly						
3'- 0" Device	—	—	—	—	3.00	—
Top Latch Assembly						
Surface Vertical Rod	2.50	—	2.50	—	2.50	2.00
Concealed Vertical Rod	2.75	2.75	2.75	2.75	—	—
Bottom Latch Assembly						
Surface Vertical Rod	2.00	—	2.00	—	2.00	1.75
Concealed Vertical Rod	2.50	2.50	2.50	2.50	—	—

* 630 furnished for 626

Mullions	
811	24.00
Mullion Fittings	
MC811	0.50
MB811	0.50
MB822	1.00
Mortise Lock	
M303, M308, M310	2.75
Low Energy Operator	
D-4990	4.00
D-4990T	4.00

Electronics	
PS-161	1.00
EPT-5	1.00
822	30.00
MC822	2.25
MC822F	2.25
FL822	30.00
KMC822	3.75
KMC822F	3.75

Quoting & Ordering

Price quotations are based on one (1) shipment to one (1) location, and are valid as identified in the quote but in no case longer than one year from the date of the quote. All exceptions will be evaluated on an individual basis.

All quotation requests will be provided by the dormakaba Canada Inc. ("dormakaba Canada") Representative where the project is located.

QUOTING PROCESS AND PROCEDURES: The following information is necessary to secure a price quotation from dormakaba Canada.

- | | |
|------------------------------|---------------------------|
| • Distributor Name | • Architects Name, Phone |
| • Distributor Location | Number and Architects |
| • Distributor Contact Name | Location |
| and Phone Number | • Specification Writer |
| • Distributor e-mail contact | Name, Phone |
| • Project Name | • Number and Location |
| • Project Location | • Competitive Influence / |
| • Bid Date | Specification |

LIST OF MATERIALS TO BE QUOTED: Every attempt will be made by dormakaba Canada to provide the price quotation in a timely manner. Upon completion, you will receive a copy of the quotation which will also include a valid quotation number. Once the project is secured, a copy of the quotation must accompany your purchase order and be forwarded to dormakaba Canada Customer Service Department in Indianapolis for processing.

NON-STANDARD PRODUCT REQUEST: Please contact your dormakaba Canada Representative to complete a Non-Standard Product Request Form.

All New Orders/changes: canadaorders.ca@dormakaba.com or call **1 888 539-7226**

Status, expedite and general inquiries:
canadaCSHelp.ca@dormakaba.com

Returns and credit requests:
canadaRGACreditGrp.ca@dormakaba.com

Upon receipt of a special order request, dormakaba Canada will review the configuration and determine if dormakaba Canada is capable of making the special order product and will provide a response to the customer. If dormakaba Canada is able to make the special order product, dormakaba Canada will provide a specific sku/configuration to the customer for the special order product. This sku/configuration must be identified on all Purchase Orders. In addition, the Purchase Order must be marked as a "Special Order".

ORDERING: The following information is required for dormakaba Canada to successfully process any order:

- Itemized Purchase Order (PO)
- dormakaba Canada Approved Quote

NOTE: For detailed information on how to place an order for dormakaba Canada products as well as BEST masterkey services please see the detailed section regarding "Best Ordering".

ADD ON ORDERS FOR QUOTED PROJECTS: To place an add-on order from a quoted project the Distributor must include the original quote, PO number and/or dormakaba Canada's original order number. Add-On orders will be accepted for a period one (1) year from the original order date. Add-On orders received that are outside of the aforementioned period will be forwarded to the dormakaba Canada Representative for re-quote.

STOCKING ORDERS: All orders for stock replenishment should be

marked as "Stock" and indicate a "Ship To" address that coincides with the stocking Distributor warehouse location.

INCOMPLETE ORDER PROCESS: All orders are screened upon receipt for complete information. If an order is received incomplete, dormakaba Canada Customer Service will make one (1) attempt to contact a Distributor directly for the missing requirements. If the information is not made available to dormakaba Canada at that time the order will be referred to the local dormakaba Canada Representative for resolution. All incomplete orders will be cancelled if not resolved after fourteen (14) calendar days.

PRICE DISCREPANCY PROCESS: All entered orders are reviewed by dormakaba Canada Customer Service for accuracy and pricing consistency between the Distributor and dormakaba Canada. Any order determined by dormakaba Canada, in its sole and absolute discretion, to have a value greater than the Total Price shown on the Distributor purchase order will be held by dormakaba Canada for a Price Discrepancy. dormakaba Canada quotes are also reviewed to ensure that they are complete, approved, and match the PO. Due to pricing sensitivity, all price discrepancies must be resolved exclusively by your dormakaba Canada Representative.

ORDER CANCELLATION/CHANGES: All requests for Order Cancellations and Changes (Quantity, Shipping, Finish, Function, etc.) should be sent directly to dormakaba Canada Customer Service. Requests via phone will be accepted, but must be accompanied by a written request. Factory Order Number, PO Number, Account Info, and Detailed Changes must be clearly indicated. Change requests can be submitted via the following methods:

Email: canadaorders.ca@dormakaba.com
or call **1 888 539-7226**.

All order cancellations or changes will be subject to a cancellation fee as defined in dormakaba Canada's Terms and Conditions of Sale.

PRODUCTION SCHEDULING AND "DO NOT SHIP BEFORE" REQUESTS: All orders are scheduled for production and shipping based on current production lead times and availability. Scheduling is completed only when an order is released from both credit and pricing review.

Exceptions to this policy are made only when the PO is clearly marked: "Do Not Ship Before" followed by the date. (Required Date, Expected Date, etc. do not apply) These orders will be scheduled to ship on or after the date listed.

Changes to "Do Not Ship Before" dates are required in writing and should be sent to: CanadaCSHelp.ca@dormakaba.com.

Be advised, orders not clearly marked with a "Do Not Ship Before" designation will be payable within normal terms from the actual shipment date.

EXPEDITE REQUESTS:

- Expedite requests will be reviewed and accommodated by dormakaba Canada based on production lead times and availability.

Email: CanadaCSHelp.ca@dormakaba.com

WHOLESALE PURCHASE: Distributors are also free to utilize dormakaba Canada's Authorized Wholesalers to purchase product. dormakaba Canada does not make any guarantee of availability or pricing for purchases from an Authorized Wholesaler and the discounts afforded to Distributor by dormakaba Canada shall not apply to purchases from an Authorized Wholesaler. The terms and conditions and price of product shall be as mutually agreed between Distributor and Wholesaler.

BEST Cylinder and Precision Exit Device Orders

For current pricing and ordering information associated with Best cylinders please see the Best Price Catalog.

Returned Authorization (RA) Non-Warranty

RA POLICY: A Return Authorization Form ("RA") must be utilized to return products that are not defective and otherwise in a resalable condition. Only goods with an invoice date of less than one (1) year will be considered for a non-warranty related return. All materials returned to dormakaba Canada Inc. ("dormakaba Canada") for any reason (other than warranty), must have a correct RA number applied to the outside of the shipping carton. A standard re-stocking charge (of the purchase price) will be applied to the Distributor's account for orders returned, including orders that were placed by customer in error. Transportation charges of returned goods must be prepaid by the Distributor. All goods must be returned within sixty (60) calendar days of RA issue date. All goods must be returned in original packaging and be in resalable condition. Product not returned in saleable condition is subject to disposal by dormakaba Canada with no credit issued. Commercial Hardware items that are special made to order items will not be returned under any circumstances.

RA PROCESS: Requests for non-warranty related returns can be initiated by submitting an e-mail to canadaRGACreditGrp.ca@dormakaba.com.

The RA Request Form must be completed entirely to process an RA. The following information will be needed:

- Company Name
 - Account Number
 - Contact Name
 - Purchaser Order Number
 - Sales Order Number
 - Item Number
 - Item Quantity
 - Phone Number
 - Description of the Problem
1. Upon review and approval of the submitted RA request, a claim number is logged and provided back to the requestor by a dormakaba Canada Team member:
 2. Once a claim number is issued, this number should be noted on all references and communications concerning said RA.
 3. Product should be returned to the address below. The shipment must be marked with the approved RA claim number to ensure prompt processing and attention. All shipping charges prepaid by customer.

dormakaba Canada
Returns Department
105 Marcel-Laurin Blvd.
Montreal, QC Canada
H4N 2M3
Phone 888-539-7226
 4. The RA will be processed once material is received at dormakaba Canada's factory provided it is received in its original packaging and is in saleable condition.
 5. Credit is issued to the Distributor account and a credit memo is mailed to the Distributor.

Fulfillment Issues

Any quality issues (missing parts, wrong parts, handling, finish, etc) should be submitted electronically to: canadaRGACreditGrp.ca@dormakaba.com or your Local dormakaba Canada Representative.

Please reference your original Purchase Order (PO) Number, Factory Order Number, Distributor Account, Contact Information (E-mail/Fax), and include a detailed description of the issue.

1) ITEMS MISSING FROM A SHIPMENT: If you have signed your shipment short, dormakaba Canada Customer Service will promptly issue a No Charge replacement order for the missing products.

If the shipment was not signed short but after review, dormakaba Canada Customer Service determines (based on shipping weights, packing lists, etc) that the order was indeed shipped short, a No Charge replacement will be issued.

If dormakaba Canada Customer Service cannot verify a shipping error, an advance replacement order will be entered, charged, and expedited to the Distributor. The quality issue will be forwarded to the Return Authorization Credit Group for resolution.

If it is determined that the item was omitted from the order due to a dormakaba Canada order entry error, a change order will be entered and expedited for the missing products.

Please see price book for further detail.

2) WRONG ITEMS RECEIVED (parts, handling, function, finish, etc):

Advanced replacements will be issued for any wrong items received. **Such orders will be charged based on pricing/ discounts from the original order.** The issue will be forwarded to dormakaba Canada's Return Authorization Credit Group for resolution.

Any quality issue that is determined to be either a dormakaba Canada order entry and/or manufacturing error will have an advanced replacement order entered and will be expedited. An RA will be issued to return the incorrect products. No re-stock fee will apply for dormakaba Canada order entry and/or manufacturing errors.

dormakaba Canada Inc.
Attn: Precision Hardware
105 Marcel-Laurin Blvd.
Montreal, QC Canada H4N 2M3

P.O. #: _____

Ship to: _____

Date required _____

Job name: _____

Salesperson: _____

Ship via: _____

[illegible]

Return Authorization Form Request

☐ Return for Replacement ☐ Return for Credit

Date of Request: _____

Original Order: _____

Date of Request: _____

Original P.O.: _____

Invoice #: _____

Customer Name: _____

Account Number: _____

Address: _____

City: _____

Province: _____ PC: _____

Contact Name: _____

E-mail: _____

Phone: _____

NATURE OF PROBLEM

☐ Manufacturing Defect

☐ Warranty Evaluation

☐ Missing Parts

☐ Wrong Material Received

☐ Wrong Material Ordered

☐ Wrong Quantity

☐ Return Inventory

☐ Other: _____

NOTE: All returns shall be subject to dormakaba Canada Inc.'s current Terms of Sale and Warranty as outlined in the price catalog.

☐ Ship Replacement Material to Address Above

☐ Ship Replacement Material to Address on Order

DETAILED DESCRIPTION OF DEFECT OR REASON FOR RETURN

RETURN MATERIAL

Line Item #	Quantity	Product Nomenclature	Product Description

Please e-mail completed form to canadaRGACreditGrp.ca@dormakaba.com or phone 1-888-539-7226

[illegible]

[illegible]

[illegible]



dormakaba Canada
105 Marcel-Laurin Blvd
Montreal, QC Canada
H4N 2M3

Phone 888-539-7226

bestaccess.com
ONEdormakaba@dormakaba.com

For questions about ordering and to be sure you get the right configuration for your needs, [contact your BEST sales representative.](#)

BEST is a trademark of dormakaba Holding® 2026 All rights reserved. BEST is a member of the dormakaba Group, one of the top three providers for access and security solutions, globally.

PL78PHI CANADA 08-26

dormakaba 